Pharmacy Services

EXTERNAL WEBPAGE MASTER FORMULA					
Compound Name: Dexamethasone		Container-closure system(s): tight, light-resistant container (Amber plastic bottle)			
Strength: 1 mg/mL		Preservatives: Contained in suspending agent or sweetener			
Dosage Form: Oral Suspension		Beyond Use Date (compound type): 90 days			
Product Description: white suspension		Storage: Refrigerate (preferred) or Room Temperature			
Auxiliary Labels:					
☐ Take with food	Shake Well	\Box For external use only			
☐ Refrigerate	☐ Do not use after	\Box Do not take with dairy products			
☐ Do not refrigerate	\square For the Ears	☐ Avoid prolonged sun exposure			
☐ Take even if you feel fine	\square For the Eyes	☐ Other:			
Quality control procedures (ex: pH test, etc.): Visual inspection of final product					
Ingredients:					
Dexamethasone 4 mg tablets					
Oral Mix or Oral Mix SF (QS)					

Instructions for preparation:

Directions:

- 1. Crush tablets in a mortar and triturate to a fine powder.
- 2. Wet powder with a minimal amount of vehicle and levigate to form a viscous, but smooth and uniform paste.
- 3. Continue adding vehicle geometrically, mixing well after each addition.
- 4. Transfer to a graduate.
- 5. Rinse mortar with vehicle, adding rinse to graduate, until almost final volume.
- 6. QS to final volume with vehicle. Stir well.

Calculations:

Ingredient Name/Strength/Form	QS	Quantity	Units
Dexamethasone 4 mg tablets		25	tablets
Oral Mix or Oral Mix SF	X	100	mL

Equipment/ Supplies:

Revised: TS 10/25



Pharmacy Services

☑ Mortar and Pestle	☑ Stirring rod	☐ Ointment slab
☐ Graduated cylinder(s)	☐ Spatula	☐ Balance
☐ Weigh paper	☑ Amber (plastic/glass) bottle	☐ Ointment jar
☑ Counting tray	☐ Syringe (Oral)	☐ Funnel
References:		

1. USP. Dexamethasone Compounded Oral Suspension. In: USP-NF. Rockville, MD: USP; June 2022

Nationwide Children's Hospital Disclaimer:

The information provided on this site is for educational and informational purposes and may not be relied upon to direct or provide care to a patient. This material is not intended as a substitute for consulting health care professionals. The health care professionals remain solely responsible to provide and direct patient care. The information contained on this site may not be up to date due to more recent medical developments. The preparation, dispensing, and administration of pharmaceuticals is and remains the responsibility of licensed medical professional or pharmacist. Nationwide Children's Hospital assumes no liability for any injury and/or damage to persons from use of any information contained on this site.

Revised: TS 10/25

